



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

भारत पोस्ट
EXPRESS POST

E-mail : explosives@explosives.gov.in
Phone/Fax No : 0712 -2510248, Fax-2510577

Dated : 13/02/2018

Approval No : A/P/HQ/MH/104/5840 (P417402)

To,
M/s. MICRO PNEUMATICS PVT. LTD.,
Plot No, 133-134,
133 -134, Vasai Municipal Industrial Area, Village Dhovali, Umela Phata, Papdy, Vasai (West), Vasai,
Others,
Taluka: Others,
District: PALGHAR,
State: Maharashtra,
PIN: 401207



15 FEB 2018

Sub : Approval of Flame Proof Type Limit Switch under Petroleum Rules 2002- Regarding.

Sir(s),
Please refer to your letter No. OIN163356 dated 18/01/2018 on the subject.

The following Ex electrical equipment(s) manufactured by you according to EN 60079-1 : 2007, IEC -60079-0-2011, standards and covered under Karandikar Laboratories Pvt. Ltd. Test reports mentioned below is/are approved for use in Zone 1 of Gas IIC hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	flameproof cum Weatherproof Limit Switch Model No. MP-PI-2M-FP	Exd IIC T6 Gb	P417402/1	Karandikar Laboratories Pvt. Ltd.	KLPL/Ex/17-116x	21/11/2017	MP-PI-2M-FP-01, Sheet 1 & 2

This Approval is granted subject to observance of the following conditions:-

- 1) The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Test Reports referred to above.
- 2) The equipment shall be used only with approved type of accessories and associated apparatus.
- 3) Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the Karandikar Laboratories Pvt. Ltd. applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) BIS approval number.
 - (f) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Test report and is identical with the one tested and certified at Testing agency shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by Karandikar Laboratories Pvt. Ltd. and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its safe characteristics.
- 6) The IS/IEC 60079-17 and IS/IEC 60079-19 shall be followed for maintenance and repair of overhaul of the subject equipments.

Conditions of the Approval:-
The approval for above equipment is subject to validity of BIS License No. CML/-7940285.

This approval also covers the permissible variations as approved under the Karandikar Laboratories Pvt. Ltd. test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.
The Approval is Valid upto 31/12/2022

Yours faithfully,

(Ninad Dattaram Gawade)
Dy. Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :
1. Jt. Chief Controller of Explosives, West Circle, MUMBAI

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:- Please submit the revalidation application one month before the date of Expiry of approval otherwise approval will be treated as cancelled and a fresh application for approval will be considered for the approval.